# Adapters

Adapters

10.07.2024



Adapters. Adapters. Version 2.0 Document build date: 10.07.2024

This volume is a part of Yandex technical documentation.

© 2008—2024 Yandex LLC. All rights reserved.

## **Copyright Disclaimer**

Yandex (and its applicable licensor) has exclusive rights for all results of intellectual activity and equated to them means of individualization, used for development, support, and usage of the service Adapters. It may include, but not limited to, computer programs (software), databases, images, texts, other works and inventions, utility models, trademarks, service marks, and commercial denominations. The copyright is protected under provision of Part 4 of the Russian Civil Code and international laws.

You may use Adapters or its components only within credentials granted by the Terms of Use of Adapters or within an appropriate Agreement.

Any infringements of exclusive rights of the copyright owner are punishable under civil, administrative or criminal Russian laws.

#### **Contact information**

Yandex LLC

https://www.yandex.com Тел.: +7 495 739 7000

Email: pr@yandex-team.ru

16 L'va Tolstogo St., Moscow, Russia 119021

# **Contents**

| List of third-party mediations             | 4 |
|--|---|
| AdMob                                      |   |
| Supported ad formats                       |   |
| Enabling an adapter for AdMob mediation    |   |
| IronSource                                 |   |
| Supported ad formats                       | 4 |
| Enable an adapter for IronSource mediation |   |

# List of third-party mediations



#### Warning:

This is an archived version of the documentation. Actual documentation for all platforms can be found here.

Yandex provides adapters for integrating with third-party mediations presented below.

| Mediation  | Banner Ad | Adaptive Banner Ad | Interstitial Ad | Rewarded Ad |
|------------|-----------|--------------------|-----------------|-------------|
| AdMob      | <b>~</b>  | <b>✓</b>           | <b>✓</b>        | <b>~</b>    |
| IronSource | ×         | ×                  | <b>✓</b>        | ✓           |
| AppLovin   | <b>✓</b>  | <b>✓</b>           | <b>✓</b>        | ✓           |

### Ad mediation using AdMob



#### Warning:

This is an archived version of the documentation. Actual documentation for all platforms can be found here.

#### Supported ad formats

- · Banner ads
- Interstitial ads
- · Rewarded ads

#### **Enabling an adapter for AdMob mediation**

- 1. Integrate the AdMob SDK.
- 2. Import admob-mobileads-mediation-2.9.0.unitypackage from the **third-party-networks-mediation** directory.
- 3. Allow dependencies using Google resolver.
- 4. Get the Ad Unit ID in the Partner interface for each Ad Unit created in AdMob.
- **5.** Set up mediation in the AdMob interface.

#### Note:

For more information, go to Setting up mediation in AdMob.

## Ad mediation using IronSource



#### Warning:

This is an archived version of the documentation. Actual documentation for all platforms can be found here.

#### Supported ad formats

- Interstitial ads
- · Rewarded ads

#### Enable an adapter for IronSource mediation

1. Integrate IronSource SDK.

- 2. Import ironsource-mobileads-mediation-2.9.0.unitypackage from the **third-party-networks-mediation** directory.
- 3. Allow dependencies using Google resolver.
- 4. Issue the Ad Unit ID in the Partner interface for each Ad Unit created in IronSource.
- 5. Set up mediation in the IronSource interface.

#### Note:

For more information, go to Setting up mediation in IronSource.